



Loewe **klang bar3 mr**

Active soundbar with integrated subwoofer

- Active 3.1 Dolby Atmos soundbar with integrated subwoofer
- 360 watts total music power
- Dolby Atmos, DTS HD, DTS:X and DTS Virtual:X support
- Expandable to 5.1 home cinema via Loewe Wireless Digital Audiolink (WDAL 2.0)
- Multiroom audio via Apple AirPlay 2, Chromecast built-in™ and DTS Play-Fi
- Integrated 5.1 home cinema AV receiver for external active speakers
- Fits perfectly to TV sets 43" size and bigger



Preliminary datasheet
Loewe **klang bar3 mr**
Status: November 2022

LOEWE.

loewe.tv     

Loewe **klang bar3 mr**

Active soundbar with integrated subwoofer



AVR adapter function.

Using the AVR connections, active speakers and active amplifiers with connected passive speakers of older generations and from any brand can be connected to the Loewe klang bar3 mr without an additional adapter. The speakers connected by cable are conveniently activated via the soundbar.



Multichannel and Multiroom.

Three HDMI connections and 4K pass-through leave nothing to be desired when connecting to UHD players, set-top boxes and game consoles. The 5.1 multichannel platform with Dolby Atmos support and the multiroom system with DTS Play-Fi makes expanding the system a breeze, as additional Loewe klang mr speakers can be added to the existing setup in seconds.



Streaming.

Apple AirPlay 2, Google Chromecast and Bluetooth provide a variety of services such as Spotify, Amazon Music, Tidal, Deezer and Internet radio. Stream your favourite content at the touch of a button.



Powerful cinema sound.

Enjoy this masterpiece of German engineering for absolute audio pleasure with best clarity and voluminous cinema sound.


This active 3.1 soundbar with seven front-firing speakers and two built-in subwoofers delivers a total music output of 360 watts for a room-filling and natural sound experience - including Dolby Virtual Atmos, DTS X, multiroom via DTS Play-Fi, Loewe Wireless Digital Audiolink (WDAL 2.0) and AVR connections.



Integrated subwoofers.

Two parallel, up-firing subwoofers with 4-inch drivers and bass reflex ports to the left and right provide an ambient, wide and unobtrusive bass foundation, always ready to give the necessary deep punch to strong musical expressions or film explosions.

Colour.

 basalt grey

Model

klang bar3 mr

Article no.

60614D10

EAN code

4011880171878

Loewe **klang bar3 mr**

Active soundbar with integrated subwoofer


Setup solutions

Loewe wall mount klang bar

Wall mount for mounting the Loewe klang bar5 mr or Loewe klang bar3 mr
W x H x D = 40 x 5 x 13,2 cm
Weight = 1,2 kg

Colour.

 black



Model

wall mount klang bar

Article no.

60810W00

EAN code

4011880172882

Loewe spacer table stand v

Spacer between TV and table stand
W x H x D = 5,2 x 5,7 x 5,2 cm
Weight = 0,8 kg

 black



Model

spacer table stand v

Article no.


60811W00

EAN code

4011880173827

Loewe spacer table stand i

Spacer between TV and table stand
W x H x D = 5,3 x 6,3 x 5,3 cm
Weight = 0,2 kg

 basalt grey



Model

spacer table stand i

Article no.

60812D00

EAN code

4011880173834

Technical data



All product and company names are trademarks™ or registered® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Google and Chromecast built-in are trademarks of Google LLC.

Loewe	klang bar3 mr
Part number:	60614D10
Power supply:	AC 100 V – 240 V ~ 50/60 Hz
Audio output power:	180W (RMS)
Power consumption in standby mode:	<0,5W
Frequency response:	60 Hz – 20 kHz
WLAN supported Standards:	IEEE 802.11a/b/g/n
WLAN power/frequency range:	Maximum power <100 mW at 2400 – 2483,5 MHz Maximum power <100 mW at 5150 - 5350 MHz Maximum power <100 mW at 5470 - 5725 MHz Maximum power <10 mW at 5725 - 5850 MHz
Bluetooth version	5.0 + EDR
Bluetooth power/frequency range:	Maximum power <10 mW at 2402 - 2480 MHz
USB playable files:	MP3
Device dimensions (W x H x D):	950 x 68 x 160 mm
Device weight:	5,9 kg
Remote control battery:	2 x CR2032(Lithium)
Ambient temperature:	5° C – 35° C
Relative humidity (non-condensing):	20 – 80%
Video passthrough:	4K Video Pass-Through, Dolby Vision, HDR10, HDR10+
Audio passthrough:	Dolby Atmos, Dolby Atmos Music, Dolby TrueHD, Dolby Digital, Dolby Digital Plus, DTS: X (including DTS-HD, DTS-HD MA, DTS Digital Surround), DTS Virtual: X, PCM, MP3
Supported Audio formats:	HDMI: DTS, DTS-HD, DTS:X, DTS Virtual:X™, Dolby Digital, Dolby Digital plus, Dolby True HD, Dolby Atmos®, LPCM 2ch/Mch, Dolby MAT OPTICAL: DTS, Dolby Digital, LPCM 2ch

Specifications in mm: W = width, H = height, D = depth of the product